



SER FLOOR
AUSTRALIA

SMART LAY
LUXURY VINYL PLANKS

SERFLOOR.COM.AU

SMART LAY

Serfloor's Smart Lay vinyl range is a premium option that uses realistic timber look designs and textures but with all the benefits of vinyl flooring, offering the perfect solution for your next project. The planks are designed for easy and fast installation over almost any surface without the need for underlay.

With two sizes available and 22 colours to choose from, this range is a perfect alternative to tile, carpet or engineered timber. Being both soft under foot and water resistant, it is suitable for almost all residential and commercial spaces, including kitchens and bathrooms.



Comfortable Under Foot



Low VOC Emission



Water Resistant




Scratch and Stain Resistant



Antibacterial and Hypoallergenic



Easy to Maintain



- Low VOC emissions contribute to better indoor air quality
- UV/PU coated
- Fire, slip, oil & stain resistant
- Reduces impact & sound travel
- Durable & low maintenance
- Quick & easy installation
- Pets and kids friendly
- Dry-back. Hard set vinyl adhesive required at installation
- Designed for no underlay
- Best choice for allergy sufferers
- Water Resistant
- Suitable for all wet areas including bathrooms, laundry and kitchen

VINYL AND FIBERGLASS CORE

The composition of our Smart Lay make it the best option compared to timber laminate or engineered timber.

- Minimal expansion when exposed to temperature changes
- Dimensionally stable compared to timber or fiberglass mesh
- Water resistant
- Easy to cut with a Stanley knife
- Impact resistant
- Virgin material

PROTECTIVE WEAR LAYER

Serfloor's Smart Lay is designed for everyday use and is a perfect solution for any areas of your residential home or commercial space, including wet areas.

- PU/UV protection
- Scratch resistant, making Smart Lay suitable for kids and pets
- Reduces maintenance
- 30 years Residential wear warranty
- 15 years Commercial wear warranty



COMMERCIAL GRADE

With a 0.5mm wear layer and PU/UV protection, you can rest assured that this product is a perfect option for your next commercial project.

- 0.5mm wear layer
- 15 years commercial wear warranty
- Water resistant
- Softer underfoot compared to ceramic tiles or timber floors
- Easy to keep clean with regular mopping

WATER RESISTANT

The composition of our Smart Lay in combination with our vinyl adhesive makes this product perfect for wet areas.

- Water resistant
- Suitable for use in all wet areas including bathroom, kitchen and laundry
- Easy to clean spills and mess
- Watertight when glued down

SHORTBOARD



COASTAL OAK SF-6224



SMOKEY GUM SF-6873



LIMEWASH SF-6731



GREY ASH SF-6880



GREY OAK SF-6051



CHARCOAL SF-6727



SHORTBOARD





LONGBOARD



MIDNIGHT GUM SFL-4506



RUSTIC GREY SFL-4512



FRENCH GREY SFL-4515



ROYAL GUM SFL-4503



SNOWY GUM SFL-4501



LONGBOARD



NSW SPOTTED GUM SFL-4504



WASHED OAK SFL-4514



LIGHT DISTRESSED OAK SFL-4516




QLD SPOTTED GUM SFL-4505



SUNNY OAK SFL-4513





SPECIFICATIONS



Soft Touch Wall Profile
Stone Grey

Rustic Grey SFL-4512



Smart Lay Shortboard

Offering 12 stunning modern colours, Serfloor's Smart Lay Shortboard creates an artistic and elegant appearance within any space. With its traditional plank size, Serfloor's Smart Lay Shortboard will add luxury and class to any area.



Smart Lay Longboard

With 10 realistic wood designs to choose from, Serfloor's Smart Lay Longboard will bring both elegance and sophistication to any space in your home or workplace. The extra-long plank size is guaranteed to open up and enhance the look of your room.



	Smart Lay Shortboard		Smart Lay Longboard	
	STANDARD	RESULT	Standard	Result
Total Thickness (mm)	EN 428	5 mm	EN 428	5 mm
Thickness of Wear Layer (mm)	EN 429	0.5 mm (+/- 0.005)	EN 429	0.5 mm (+/- 0.005)
Weight (+/- 50gr/m2)	EN 430	9.23 kg/m2	EN 430	10.55 kg/m2
Plank Dimension	EN 427	177.8 mm x 1219.2 mm	EN 427	228.6 mm x 1524 mm
Packing	EN 427	10 Planks/2.167 m2 per box	EN 427	7 Planks / 2.44 m2 per box
Acoustic Impact Noise	EN ISO 717-2	IIC = 52	EN ISO 717-2	IIC = 52
Dimension Stability	EN 434	< 0.25%	EN 434	< 0.25%
Resistance to Light	ISO 105 B02	> 6	ISO 105 B02	> 6
Residual Indentation	EN 433	< 0.1mm	EN 433	< 0.1mm
Castor Chair Test	ISO 4918	Pass	ISO 4918	Pass
Flexibility	EN 435	Pass	EN 435	Pass
Abrasion Resistance	ASTMD3884	0.1% Loss	ASTMD3884	0.1% Loss
	AS 4586-2013	R10 (>10 <19)	AS 4586-2013	R10 (>10 <19)
Behaviour to Fire	AS/ISO 92391-2003	CRF Value: 6.7Kw/M2	AS/ISO 92391-2003	CRF Value: 6.7Kw/M2
		Smoke Value: 165%.min		Smoke Value: 165%.min
Chemical Products	ASTM F925	Pass	ASTM F925	Pass
Static Electric Propensity	EN 1815	Voltage: 0.5 kV	EN 1815	Voltage: 0.5 kV
Emission of Formaldehyde	ISO 10580 (<10 (24h) ug.m2.h)	<2.3 (24h) ug.m2.h	ISO 10580 (<10 (24h) ug.m2.h)	<2.3 (24h) ug.m2.h
VOC Emission	ISO 16000	A +	ISO 16000	A +
Wear Resistance	EN 660-2	Wear group: T	EN 660-2	Wear group: T
Surface Treatment	PU/ NANO SILVER	PU & Anti-bacterial, per design	PU/ NANO SILVER	PU & Anti-bacterial, per design
Adhesive		Recommended		Hard Set adhesive required

Colour and Pattern Reproduction

Serfloor photography and print cannot always produce a perfect representation of our product. This includes the appearance of colour, pattern variation and the presentation of the installation. For this reason, we strongly recommend you obtain a product sample and view the product in a larger display where possible. Just like real timber, the patterns in our products can have natural variations.

The colour and pattern trends do change and to ensure we continue to supply our customers with the latest colours and styles, products and colours are sometimes discontinued. If this happens, we will always do our best to help you find a colour and pattern you will love just as much.

We suggest visiting our website for information about installation, care and maintenance. www.serfloor.com.au

If you don't find what you are looking for or require more information, please contact us directly via email at info@serfloor.com.au



SER FLOOR
AUSTRALIA

info@serfloor.com.au | (03) 9796 4626
www.serfloor.com.au

Front cover: NSW Spotted Gum SFL-4504 | Back cover: QLD Spotted Gum SFL-4505